

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

**IDENTITY (As Used on Label and Label)****"VELVET" Oil base/Greaseless oil base**

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I Floor Sweeping Compound

| | |
|--|---|
| Manufacturer's Name COTTO-MAXO COMPANY | Emergency Telephone Number 314/436-0300 |
| Address (Number, Street, City, State, and ZIP Code) 3530 N. Broadway | Telephone Number (a) (Information) 314/436-0300 |
| St. Louis, Missouri 63147 | Date Prepared March 27, 1996 |
| | Signature of Preparer (optional) |

Section II - Hazardous Ingredients/Identify Information

| Hazardous Components (Specific Chemical Identity, Common Name(s)) | OSHA PEL | ACGIH TLV | Other Limits Recommended | % (optional) |
|---|----------------------------------|--------------------------|--------------------------|--------------|
| A. Woodfibres, Sawdust * | Cas #none | PEL: 5 mg/M ³ | | |
| B. Petroleum Hydrocarbons: | Cas #64742-46-7 | PEL: 5 mg/M ³ | | |
| Industrial Oil | Cas #64742-53-6 | PEL: 5 mg/M ³ | | |
| C. Color * | Cas #1103-38-4 & 5281-04-9 (red) | | | |
| | Cas #147-14-8 (blue/green) | | | |
| | | PEL: none established | | |

* Airborne dusting conditions of this material do not exist because of a uniform
coagulated compound mix.

Section III - Physical/Chemical Characteristics

| | | | |
|-------------------------|-----|---|-----|
| Boiling Point | N/A | Specific Gravity (H ₂ O = 1) | N/A |
| Vapor Pressure (mm Hg) | N/A | Melting Point | N/A |
| Vapor Density (AIR = 1) | N/A | Evaporation Rate (Butyl Acetate = 1) | N/A |

Solubility in Water
No

Appearance and Color

Homogeneous mixture; red or green in color; like oil smell

Section IV - Fire and Explosion Hazard Data

| | | | |
|---|-------------------------|------------|------------|
| Flash Point (Method Used) Greater than 200 F/Pensky-Marten | Flammable Limits N/A | LEL N/A | UEL N/A |
| Extinguishing Media Water, Water Spray, Foam Co ₂ , Dry Chemicals | | | |
| Special Fire Fighting Procedures None | | | |

Unusual Fire and Explosion Hazards
None

(If product is toxic)

OSHA 126, Sept. 1988