

Previous Issue Date: 10/14/2005  
Revision Date: 02/26/2006  
Current Date: 10/26/2006  
MSDS No. 105099

## MATERIAL SAFETY DATA SHEET

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Names: Hydrochloric acid  
Muriatic Acid 20BE  
Muriatic Acid 22BE  
Muriatic Acid 23BE  
Other Names: Hydrochloric Acid (10%; FCC; NF; Print Cir; Reagent G; Semi-Cond. Grade; NF FCC)  
Muriatic Acid (2%; 7%; 10%; 15%; 19'29%, 30-37.5 FCC; 20BE Inhibited)

Supplier: HARCROS CHEMICALS, INC.  
5200 Speaker Road  
Kansas City, KS 66106-1095  
Suppliers Telephone Number: 913-321-3131  
Transportation Emergency Telephone Number: 1-800-424-9300

### SUBSTANCE: HYDROCHLORIC ACID (HCl) (ALL GRADES)

#### TRADE NAMES:

Hydrochloric Acid (HCl) 10%, 14%, 20%, 28%, 20 Be, 22 Be, Technical

#### SYNONYMS:

Muriatic Acid; HCl Solution; Aqueous hydrogen chloride

**PRODUCT USE:** process chemical, metal cleaning, water purification, petroleum industry

**REVISION DATE:** Jan 26 2006

### 2. HAZARDS IDENTIFICATION

**NFPA RATINGS (SCALE 0-4):** HEALTH=3 FIRE=0 REACTIVITY=1

**HMIS RATINGS (SCALE 0-4):** HEALTH=3 FLAMMABILITY=0 REACTIVITY=1

Harcros Chemicals, Inc.  
MSDS No. 105099

**EMERGENCY OVERVIEW:****COLOR:** colorless**PHYSICAL FORM:** liquid**ODOR:** pungent odor**SIGNAL WORD:** DANGER**MAJOR HEALTH HAZARDS:** CAUSES BURNS TO THE RESPIRATORY TRACT, SKIN, EYES AND GASTROINTESTINAL TRACT. CAUSES PERMANENT EYE DAMAGE. MAY BE HARMFUL OR FATAL IF SWALLOWED.**PHYSICAL HAZARDS:** May spatter or generate heat when mixed with water. Contact with metals may evolve flammable hydrogen gas.**PRECAUTIONARY STATEMENTS:** Do not breathe vapor or mist. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Wash thoroughly after handling. Use only with adequate ventilation.**POTENTIAL HEALTH EFFECTS:****INHALATION:****SHORT TERM EXPOSURE:** burns, cough, pulmonary edema**LONG TERM EXPOSURE:** erosion of teeth**SKIN CONTACT:****SHORT TERM EXPOSURE:** burns, ulceration**LONG TERM EXPOSURE:** dermatitis**EYE CONTACT:****SHORT TERM EXPOSURE:** burns, eye damage, blindness**LONG TERM EXPOSURE:** to our knowledge, no effects are known**INGESTION:****SHORT TERM EXPOSURE:** burns**LONG TERM EXPOSURE:** ingestion of harmful amounts is unlikely**CARCINOGEN STATUS:****OSHA:** No**NTP:** No**IARC:** No

---

**3. COMPOSITION, INFORMATION ON INGREDIENTS**

---

**COMPONENT:** WATER**CAS NUMBER:** 7732-18-5**PERCENTAGE:** 63-91**COMPONENT:** HYDROGEN CHLORIDE**CAS NUMBER:** 7647-01-0**PERCENTAGE:** 9-36

---

**4. FIRST AID MEASURES**

---

**INHALATION:** If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. If respiration or pulse has stopped, have a trained person administer Basic Life Support (Cardio-Pulmonary Resuscitation/Automatic External Defibrillator) and CALL FOR EMERGENCY SERVICES IMMEDIATELY.

Harcros Chemicals, Inc.  
MSDS No. 105099

**SKIN CONTACT:** Immediately flush contaminated areas with water. Remove contaminated clothing, jewelry, and shoes immediately. Wash contaminated areas with soap and water. Thoroughly clean and dry contaminated clothing and shoes before reuse. Discard footwear which cannot be decontaminated. GET MEDICAL ATTENTION IMMEDIATELY.

**EYE CONTACT:** Immediately flush eyes with a directed stream of water for at least 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissues. Washing eyes within several seconds is essential to achieve maximum effectiveness. GET MEDICAL ATTENTION IMMEDIATELY.

**INGESTION:** Never give anything by mouth to an unconscious or convulsive person. If swallowed, do not induce vomiting. Give large amounts of water. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. GET MEDICAL ATTENTION IMMEDIATELY.

**NOTE TO PHYSICIAN:** The absence of visible signs or symptoms of burns does NOT reliably exclude the presence of actual tissue damage. Probable mucosal damage may contraindicate the use of gastric lavage.

---

## 5. FIRE FIGHTING MEASURES

**FIRE AND EXPLOSION HAZARDS:** May release toxic gases.

**EXTINGUISHING MEDIA:** Use extinguishing agents appropriate for surrounding fire.

**FIRE FIGHTING:** Keep unnecessary people away, isolate hazard area and deny entry. Wear NIOSH approved positive-pressure self-contained breathing apparatus. Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Cool containers with water.

**SENSITIVITY TO MECHANICAL IMPACT:** Not sensitive

**SENSITIVITY TO STATIC DISCHARGE:** Not sensitive

**FLASH POINT:** not flammable

**HAZARDOUS COMBUSTION PRODUCTS:**

Thermal decomposition products or combustion: hydrogen chloride

---

## 6. ACCIDENTAL RELEASE MEASURES

**OCCUPATIONAL RELEASE:**

Evacuation of surrounding area may be necessary for large spills. Wear appropriate personal protective equipment recommended in Section 8 of the MSDS. Completely contain spilled material with dikes, sandbags, etc. Shut off ventilation system if needed. Reprocess or reuse if possible. Neutralize with soda ash or dilute caustic soda. Collect with appropriate absorbent and place into suitable container. Liquid material may be removed with a vacuum truck. Keep out of water supplies and sewers. This material is acidic and may lower the pH of the surface waters with low buffering capacity. Releases should be reported, if required, to appropriate agencies. Notify Local Emergency Planning Committee and State Emergency Response Commission for release greater than or equal to RQ (U.S. SARA Section 304). If release occurs in the U.S. and is reportable under CERCLA Section 103, notify the National Response Center at (800)424-8802 (USA) or (202)426-2675 (USA).

Harcros Chemicals, Inc.  
MSDS No. 105099

---

## 7. HANDLING AND STORAGE

---

**STORAGE:** Store and handle in accordance with all current regulations and standards. Store in rubber-lined steel, acid-resistant plastic or glass containers. Keep container tightly closed and properly labeled. Store in a cool, dry place. Store in a well-ventilated area. Do not store in aluminum container or use aluminum fittings or transfer lines. Dike and vent storage tanks. Keep separated from incompatible substances (see Section 10 of the MSDS).

**HANDLING:** Avoid breathing vapor or mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. When mixing, slowly add to water to minimize heat generation and spattering.

---

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

---

**EXPOSURE LIMITS:**

**HYDROGEN CHLORIDE, ANHYDROUS:**

**HYDROGEN CHLORIDE (HYDROCHLORIC ACID):**

5 ppm (7 mg/m<sup>3</sup>) OSHA ceiling

2 ppm ACGIH ceiling

**VENTILATION:** Use closed systems when possible. Provide local exhaust ventilation where vapor or mist may be generated. Ensure compliance with applicable exposure limits.

**EYE PROTECTION:** Wear safety glasses with side shields. Wear chemical safety goggles with a faceshield or chemical splash hood. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**CLOTHING:** Wear chemical resistant clothing and rubber boots when potential for contact with the material exists. Always place pants legs over boots.

**GLOVES:** Wear appropriate chemical resistant gloves.

**PROTECTIVE MATERIAL TYPES:** neoprene, nitrile, polyvinyl chloride (PVC), rubber, Kappler(R) CPF3, Tychem(R)

**IMMEDIATELY DANGEROUS TO LIFE OR HEALTH:** 50 ppm

**RESPIRATOR:** Where vapor concentration exceeds or is likely to exceed applicable exposure limits, a NIOSH approved respirator with acid gas canister is required. When an air-purifying respirator is not adequate or for spills and/or emergencies of unknown concentrations, a NIOSH approved self-contained breathing apparatus or airline respirator with full-face piece is required. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

**PHYSICAL STATE:** liquid

**APPEARANCE:** clear

**COLOR:** colorless

**ODOR:** pungent odor

Harcros Chemicals, Inc.  
MSDS No. 105099

**MOLECULAR WEIGHT:** 36.46

**MOLECULAR FORMULA:** HCl

**BOILING POINT:** 140-221 F (60.0-105 C)

**FREEZING POINT:** -29 to 5 F (-34 to -15 C)

**VAPOR PRESSURE:** 14.6-80 mmHg @ 20 C

**VAPOR DENSITY (air=1):** 1.3 @ 20 C

**SPECIFIC GRAVITY (water=1):** 1.05-1.18

**BULK DENSITY:** 8.75-9.83 lbs/gal

**WATER SOLUBILITY:** 100%

**PH:** 2 (0.2% solution)

**VOLATILITY:** 9-36 % by volume

**ODOR THRESHOLD:** 0.3 ppm (causes olfactory fatigue)

**EVAPORATION RATE:** <1.00 (butyl acetate=1)

**COEFFICIENT OF WATER/OIL DISTRIBUTION:** Not available

---

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** Stable at normal temperatures and pressure.

**CONDITIONS TO AVOID:** Avoid heat, flames, sparks and other sources of ignition. Contact with water may produce a strong exothermic reaction with spattering. Contact with metals may evolve flammable hydrogen gas. Hydrogen chloride may react with cyanide, forming lethal concentrations of hydrocyanic acid.

**INCOMPATIBILITIES:** metals, alkalis (such as sodium hydroxide), mercuric sulfate, perchloric acid, carbides of calcium, cesium, rubidium, acetylides of cesium and rubidium, phosphides of calcium and uranium, lithium silicide

**HAZARDOUS DECOMPOSITION:**

Thermal decomposition products or combustion: hydrogen chloride

**POLYMERIZATION:** Will not polymerize.

---

## 11. TOXICOLOGICAL INFORMATION

**HYDROCHLORIC ACID (HCl) (ALL GRADES):**

**TOXICITY DATA:** Hydrochloric Acid: 900 mg/kg oral-rabbit LD50; 1108 ppm/1 hour(s) inhalation-rat; 3124 ppm/1hour(s) inhalation-rat LC50. Rinsed Draize Test: 5 mg/30 second(s) rabbit-eye mild. Standard Draize Test: 4% / 24 hour(s) skin-human mild. Inhalation will cause severe irritation and possible burns with coughing and choking. If inhaled deeply, edema and hemorrhage of the lungs may occur. Levels of 10-35 ppm may cause irritation of throat and 50-100 ppm is unbearable for 1 hour. Inflammation, destruction of nasal passages and breathing difficulties may occur with higher concentrations and may be delayed in onset. 1000-2000 ppm may be fatal. Prolonged exposure may cause discoloration and/or erosion of teeth. Contact with eyes causes immediate severe irritation with possible burns, permanent visual impairment, or total loss of sight. Contact with fumes or liquid may produce corrosive burns. Dermal exposure also results in irritation, pain, dermatitis, and ulceration. Ingestion may cause immediate burns of the mouth, esophagus, and stomach. Ingestion may cause intense pain, nausea, vomiting, bleeding, circulating collapse, shock and death.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** respiratory system (including asthma and other breathing disorders)

Harcros Chemicals, Inc.  
MSDS No. 105099

---

## 12. ECOLOGICAL INFORMATION

---

### **ECOTOXICITY DATA:**

**FISH TOXICITY:** Hydrochloric Acid: 178 mg/L LC50 Goldfish (1 to 2 hour survival time); 100-330 mg/L LC50 Shrimp. 3.6 mg/L 48 hour(s) (static) LC50 Bluegill This material is believed to be toxic to aquatic life.

### **FATE AND TRANSPORT:**

**BIODEGRADATION:** This material is inorganic and not subject to biodegradation.

**PERSISTENCE:** This material is believed not to persist in the environment. This material is believed to exist in the disassociated state in the environment. **SOIL:** Hydrogen chloride will sink into the soil. The acid will dissolve some soil material (in particular, anything with a carbonate base) and will be somewhat neutralized. The remaining portion is thought to transport downward to the water table. **WATER:** Dissociates almost completely and will be neutralized by natural alkalinity and carbon dioxide.

**BIOCONCENTRATION:** This material is believed not to bioaccumulate.

---

## 13. DISPOSAL CONSIDERATIONS

---

Reuse or reprocess if possible. Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D002.

---

## 14. TRANSPORT INFORMATION

---

### **U.S. DOT 49 CFR 172.101:**

**PROPER SHIPPING NAME:** Hydrochloric acid solution

**ID NUMBER:** UN1789

**HAZARD CLASS OR DIVISION:** 8

**PACKING GROUP:** II

**LABELING REQUIREMENTS:** 8

**DOT HAZARDOUS SUBSTANCE(S):**

Hydrochloric acid 5000 lb(s) (2270 kg(s))

### **CANADIAN TRANSPORTATION OF DANGEROUS GOODS:**

**SHIPPING NAME:** Hydrochloric acid solution

**UN NUMBER:** UN1789

**CLASS:** 8

**PACKING GROUP/RISK GROUP:** II

---

## 15. REGULATORY INFORMATION

---

### **U.S. REGULATIONS:**

**CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):**

**HYDROGEN CHLORIDE (HYDROCHLORIC ACID):** 5000 LBS RQ (liquid)

**CHLORINE:** 10 LBS RQ

**SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):**

Harcros Chemicals, Inc.  
MSDS No. 105099

**HYDROGEN CHLORIDE (HYDROCHLORIC ACID): 500 LBS TPQ (gas)**

**SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):**

ACUTE: Yes

CHRONIC: No

FIRE: No

REACTIVE: No

SUDDEN RELEASE: No

**SARA TITLE III SECTION 313 (40 CFR 372.65):**

**HYDROGEN CHLORIDE (HYDROCHLORIC ACID): aerosol form only**

This product contains a toxic chemical or chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372. Refer to Section 3.

**OSHA PROCESS SAFETY (29CFR1910.119):**

**HYDROGEN CHLORIDE (HYDROCHLORIC ACID): 5000 LBS TQ (gas)**

**CHLORINE: 1500 LBS TQ**

**FDA:** This material has Generally Recognized as Safe (GRAS) status under specific FDA regulations. Additional information is available from the Code of Federal Register (CFR) which is accessible on the FDA's website.

**STATE REGULATIONS:**

**California Proposition 65:** This product may contain contaminants known to the State of California to cause cancer or reproductive toxicity as listed under Proposition 65 State Drinking Water and Toxic Enforcement Act. For additional information, contact Customer Service.

**NEW JERSEY WORKER AND COMMUNITY RIGHT TO KNOW:**

**REPORTING REQUIREMENT:**

WATER 7732-18-5 63-91%

HYDROGEN CHLORIDE 7647-01-0 9-36%

**RIGHT TO KNOW HAZARDOUS SUBSTANCE LIST:**

HYDROGEN CHLORIDE 7647-01-0 9-36%

CHLORINE 7782-50-5 0-50 ppm

**SPECIAL HEALTH HAZARD SUBSTANCE LIST:**

HYDROGEN CHLORIDE 7647-01-0 9-36%

**PENNSYLVANIA RIGHT TO KNOW:**

**REPORTING REQUIREMENT:**

WATER 7732-18-5 63-91%

HYDROGEN CHLORIDE 7647-01-0 9-36%

**HAZARDOUS SUBSTANCE LIST:**

HYDROGEN CHLORIDE 7647-01-0 9-36%

**ENVIRONMENTAL HAZARDOUS SUBSTANCE LIST:**

HYDROGEN CHLORIDE 7647-01-0 9-36%

Harcros Chemicals, Inc.  
MSDS No. 105099

**SPECIAL HAZARDOUS SUBSTANCE LIST:**

Not regulated.

**CANADIAN REGULATIONS:**

**WHMIS CLASSIFICATION:** E.

**NATIONAL INVENTORY STATUS:**

**U.S. INVENTORY (TSCA):** All the components of this substance are listed on or are exempt from the inventory.

**TSCA 12(b) EXPORT NOTIFICATION:** Not listed.

**CANADA INVENTORY (DSL/NDL):** All components of this product are listed on the DSL.

---

**16. OTHER INFORMATION**

---

**MSDS SUMMARY OF CHANGES**

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION
2. COMPOSITION, INFORMATION ON INGREDIENTS
11. TOXICOLOGICAL INFORMATION

The information provided in this Material Safety Data sheet has been obtained from sources believed to be reliable. Harcros Chemicals, Inc. provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. you should satisfy yourself that you have all current data relevant to your own particular use. Harcros Chemicals, Inc. knows of no medical condition other than those noted on this Material Safety Data Sheet, which are generally recognized as being aggravated by exposure to this product.